

Message

From: Rapicavoli, Emmanuelle [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=FF3604A98B624BB7A1A9A236EC176998-ERAPICAV]
Sent: 9/25/2017 11:47:38 PM
To: Jeff Mansfield [jlmansfield1981@gmail.com]
Subject: RE: FMCV Project PH15U76
Attachments: IA DW-75-95879001-2.pdf

Hi Jeff,

I've attached the most recent IA amendment for the project.

Thanks,

Emmanuelle

Emmanuelle Rapicavoli
Drinking Water Protection Section (WTR 3-2)
Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, Ca 94105
(415) 972-3969 (phone)
(415) 947-3545 (fax)

Please: All data submittals to our office should be sent by email to datamanager@epa.gov with a copy to me (or your project manager in the Drinking Water Office). Data reports are due no later than the 10th of the month following the month that you receive results, or the 10th of the month following the compliance period, whichever comes first. Please include the whole lab report and copy of the Chain of Custody. Label with PWS name and number; & source or distribution system location codes or names for data collection points.

From: Jeff Mansfield [mailto:jlmansfield1981@gmail.com]
Sent: Monday, September 25, 2017 4:39 PM
To: Rapicavoli, Emmanuelle <Rapicavoli.Emmanuelle@epa.gov>
Subject: Re: FMCV Project PH15U76

Emmanuelle,

Would it be possible to request a copy/attachment of the IA? For FMCV's records is what the purpose would be if you may be wondering? Again, thank you.

Jeff Mansfield

On Mon, Sep 25, 2017 at 1:50 PM, Rapicavoli, Emmanuelle <Rapicavoli.Emmanuelle@epa.gov> wrote:

Hi Jeff,

EPA provided \$299k in additional funding this year to complete the project (U76) and we extended the IA expiration to December 2019. The funding is not in danger of expiring. I can provide more details on the EPA funding side on our call tomorrow.

Thanks,

Emmanuelle

Emmanuelle Rapicavoli

Drinking Water Protection Section (WTR 3-2)

Environmental Protection Agency, Region 9

75 Hawthorne Street

San Francisco, Ca 94105

(415) 972-3969 (phone)

(415) 947-3545 (fax)

Please: All data submittals to our office should be sent by email to datamanager@epa.gov with a copy to me (or your project manager in the Drinking Water Office). Data reports are due no later than the **10th** of the month following the month that you receive results, or the **10th** of the month following the compliance period, whichever comes first. Please include the whole lab report and copy of the Chain of Custody. Label with PWS name and number; & source or distribution system location codes or names for data collection points.

From: DeCoteau, Jesse (IHS/PHX) [<mailto:Jesse.Decoteau@ihs.gov>]

Sent: Monday, September 25, 2017 1:12 PM

To: 'Jeff Mansfield' <ijlmansfield1981@gmail.com>

Cc: brad.rea@ihs.gov; Carter, James (IHS/PHX) <James.Carter2@ihs.gov>; Rapicavoli, Emmanuelle <Rapicavoli.Emmanuelle@epa.gov>

Subject: RE: FMCV Project PH15U76

Afternoon Jeff,

As far as I know, PH 15-U76 is considered part of the HAMP, but is moving forward regardless of HAMP status. To-date \$149,687.78 has been spent out of the project per Amendment #1 to the project, which coincided with work performed under PH 08-D71 and PH 06-D25. The spent funds are anticipated to return to the project (and then some, with EPA providing the additional funds). I can provide you the Amendment with the exact dollar figure when that happens.

To be completely clear on this, I am not aware of any changes to PH 15-U76 (other than additional EPA funds coming in on it) or any potential expiration. We are hoping to move forward to construction in 2018.

Thanks,

Jesse

From: Jeff Mansfield [mailto:jlmansfield1981@gmail.com]

Sent: Friday, September 22, 2017 3:05 PM

To: DeCoteau, Jesse (IHS/PHX) <Jesse.Decoteau@ihs.gov>; Rea, Brad (IHS/PHX) <Brad.Rea@ihs.gov>

Subject: FMCV Project PH15U76

Gentlemen,

Would either of you happen to know what the exact details of this project's status? What I've understood, is that PH15U76 is a FMCV project that is associated to the HAMP construction's 2nd Phase?

Correct me if I am wrong, in addition, I am also aware that PH15U76 has had about \$301,000 taken from its original funded amount of \$700,000, to pay NTUA for the balance owed from work preformed on FMCV's previous project PH06D71?

I am inquiring on the the status of this FMCV project due to information provided by Mr. Tim Bodell (HUC) and Ms. Emmanuelle Rapacovi (EPA Region 9) that PH15U76 is in danger of not being funded for FY 2018, and funds already dedicated for PH15U76 may be re-allocated back to EPA SDWTSA by November 2017. Would you gentlemen be able to provide me with more insight into the predicament of PH15U76? Projects PH11E55 & PH12E73 (both FMCV projects) both expired on July 2017 and the cause of its expiration was due to its 7yr lapse of the project. Is this the same situation that PH15U76 is in? Thanks
Jeff Mansfield

FMCV Consultant